

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14	(quiet\$3 quiesc\$4) same reconfigur\$5 and "714"/\$.ccls. and (@ad<="19990330" @rlad<="19990330")	US-PGPUB; USPAT	OR	OFF	2005/01/24 11:29
L3	24	reconfigur\$5 same (maintain\$3 preserv\$3) near7 (sequenc\$3 priorit\$3 order\$3)and ("370"/\$.ccls. "714"/\$.ccls.) and (@ad<="19990330" @rlad<="19990330")	US-PGPUB; USPAT	OR	OFF	2005/01/24 11:36
L4	15	reconfigur\$5 same (original\$2 previous\$2) near7 (sequenc\$3 priorit\$3 order\$3)and ("370"/\$.ccls. "714"/\$.ccls.) and (@ad<="19990330" @rlad<="19990330")	US-PGPUB; USPAT	OR	OFF	2005/01/24 11:39
L5	176	("714"/4,15,20,50.ccls.) and (@ad<="19990330" @rlad<="19990330") and (quiesc\$3 quiet\$3 paus\$3 shut\$4down)	US-PGPUB; USPAT	OR	OFF	2005/01/24 11:41
S1	6	chin.xa,xp. and spanning adj tree and reconfiguration	US-PGPUB; USPAT	OR	OFF	2005/01/23 19:00
S2	4	chin.xa,xp. and spanning adj tree and reconfigur\$3	US-PGPUB; USPAT	OR	OFF	2004/06/03 22:11
S3	44	chin.xa,xp. and parent with child	US-PGPUB; USPAT	OR	OFF	2004/06/03 22:34
S4	43	reconfigur\$5 same parent with child	US-PGPUB; USPAT	OR	OFF	2004/06/03 22:13
S5	16	reconfigur\$5 same parent with child and (@rlad<="19990330" @ad<="19990330")	US-PGPUB; USPAT	OR	OFF	2004/06/03 22:19
S6	10	"370"/\$.ccls. and (root parent\$1) with child\$3 with message\$1 and reconfigur\$3	US-PGPUB; USPAT	OR	OFF	2004/06/03 22:22
S7	64	"370"/\$.ccls. and (root parent\$1) with child\$3 and reconfigur\$3	US-PGPUB; USPAT	OR	OFF	2004/06/03 22:22
S8	41	"370"/\$.ccls. and (root parent\$1) with child\$3 and reconfigur\$3 and (@rlad<="19990330" @ad<="19990330")	US-PGPUB; USPAT	OR	OFF	2004/06/03 22:22
S9	26	370/216-228.ccls. and (parent\$1 root) with child\$3	US-PGPUB; USPAT	OR	OFF	2004/06/04 14:09
S10	8	(parent\$1 root) with child\$3 and reconfigur\$5 with spanning adj tree	US-PGPUB; USPAT	OR	OFF	2004/06/04 14:09

S11	15	(parent\$1 root) with child\$3 and (chang\$3 near6 network reconfigur\$5) same spanning adj tree	US-PGPUB; USPAT	OR	OFF	2004/06/04 17:32
S12	0	"6336119".pn. and (sequenc\$3 logg\$3)	US-PGPUB; USPAT	OR	OFF	2004/06/04 17:32
S13	0	"6336119".pn. and (sequenc\$3 log\$4)	US-PGPUB; USPAT	OR	OFF	2004/06/04 17:32
S14	0	"t1" same "e1" same 128-slot	US-PGPUB; USPAT	OR	OFF	2004/06/05 22:52
S16	0	"t1" same "e1" and 128-slot	US-PGPUB; USPAT	OR	OFF	2004/06/05 22:52
S17	2	128-slot	US-PGPUB; USPAT	OR	OFF	2004/06/05 23:02
S18	601	"128" adj channels	US-PGPUB; USPAT	OR	OFF	2004/06/05 23:02
S19	7	"128" adj channels same "t1"	US-PGPUB; USPAT	OR	OFF	2004/06/05 23:03
S20	3	"128" adj channels same "e1"	US-PGPUB; USPAT	OR	OFF	2004/06/05 23:03
S21	45	parent with (child\$3 acknowledgment\$1 ack\$1) and (acknowledgement\$1 ack\$1) with child\$3	US-PGPUB; USPAT	OR	OFF	2004/06/08 15:46
S22	32	parent with (child\$3 acknowledgment\$1 ack\$1) and (acknowledgement\$1 ack\$1) with child\$3 and (@rlad<="19990330" @ad<="19990330")	US-PGPUB; USPAT	OR	OFF	2004/06/08 15:52
S23	37	parent with (child\$3 acknowledg\$3) and (acknowledg\$3) with child\$3 and (@rlad<="19990330" @ad<="19990330")	US-PGPUB; USPAT	OR	OFF	2004/06/08 17:27
S24	28	S23 not S22	US-PGPUB; USPAT	OR	OFF	2004/06/08 15:52
S25	1	"6396814".pn. and acknowledg\$6	US-PGPUB; USPAT	OR	OFF	2004/06/08 17:27
S26	4	"6336119"	US-PGPUB; USPAT	OR	OFF	2004/06/09 16:54
S27	0	"6336119".pn. and sequenc\$3	US-PGPUB; USPAT	OR	OFF	2004/06/09 16:54
S28	0	"6336119".pn. and log\$3	US-PGPUB; USPAT	OR	OFF	2004/06/09 16:54

S31	102	publish\$3 with subscrib\$3 and (packet\$1 message\$1) near5 sequenc\$3 and (@rlad<="19990330" @ad<="19990330")	US-PGPUB; USPAT	OR	OFF	2004/06/09 16:58
S32	25	(publisher\$1 publishing) with (subscriber\$1 subscribing) and (packet\$1 message\$1) near5 sequenc\$3 and (@rlad<="19990330" @ad<="19990330")	US-PGPUB; USPAT	OR	OFF	2004/06/09 17:11
S34	517	sequenc\$3 near4 (switch\$2 node\$1) and (@rlad<="19990330" @ad<="19990330") and "709"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2004/06/09 17:01
S35	517	370/394.ccls.	US-PGPUB; USPAT	OR	OFF	2004/06/09 17:01
S36	286	370/394.ccls. and (@rlad<="19990330" @ad<="19990330")	US-PGPUB; USPAT	OR	OFF	2004/06/09 17:01
S39	0	"709"/\$.ccls. and (packet\$1 message\$1) near sequenc\$3 with egress and (@rlad<="19990330" @ad<="19990330")	US-PGPUB; USPAT	OR	OFF	2004/06/09 17:11
S40	1	"709"/\$.ccls. and (packet\$1 message\$1) near sequenc\$3 with end adj node\$1 and (@rlad<="19990330" @ad<="19990330")	US-PGPUB; USPAT	OR	OFF	2004/06/09 17:12
S41	3	(packet\$1 message\$1) near sequenc\$3 with end adj node\$1 and (@rlad<="19990330" @ad<="19990330")	US-PGPUB; USPAT	OR	OFF	2004/06/09 17:12
S42	57	(packet\$1 message\$1) near sequenc\$3 with arrang\$3 and (@rlad<="19990330" @ad<="19990330")	US-PGPUB; USPAT	OR	OFF	2004/06/09 21:14
S43	1	"20030091049".pn. and sequenc\$3	US-PGPUB; USPAT	OR	OFF	2004/06/09 21:28
S44	0	"60917424".pn. and content adj based	US-PGPUB; USPAT	OR	OFF	2004/06/09 21:28
S45	1	"6091724".pn. and content adj based	US-PGPUB; USPAT	OR	OFF	2004/06/09 21:30
S46	43	content adj based with (routing router\$1 subscription\$1 subscrib\$3) and (@rlad<="19990330" @ad<="19990330")	US-PGPUB; USPAT	OR	OFF	2004/06/09 21:37

S47	0	"5870605".pn. and (internet router\$1)	US-PGPUB; USPAT	OR	OFF	2004/06/09 21:36
S48	35	content adj based with (routing router\$1 subscription\$1 subscrib\$3) and (@rlad<="19990330" @ad<="19990330") and (router\$1 internet)	US-PGPUB; USPAT	OR	OFF	2004/06/09 21:38
S49	37	content adj based and (publish\$3 with subscrib\$3) and (@rlad<="19990330" @ad<="19990330") and (router\$1 internet)	US-PGPUB; USPAT	OR	OFF	2004/06/09 21:51
S50	0	"5870605".pn. and (re-arrang\$3 arrang\$3)	US-PGPUB; USPAT	OR	OFF	2004/06/09 21:52
S51	1	"5870605".pn. and (sequenc\$3)	US-PGPUB; USPAT	OR	OFF	2004/06/09 21:52
S52	1	"5870605".pn. and sequenc\$3	US-PGPUB; USPAT	OR	OFF	2004/06/10 13:24
S53	1	"5870605".pn. and content-based	US-PGPUB; USPAT	OR	OFF	2004/06/10 13:24
S54	2	(user client) near3 (data message) near4 network adj priorit\$3	US-PGPUB; USPAT	OR	OFF	2005/01/23 19:02
S55	495	(user client) near3 priorit\$3 and priority near6 (fifo first-in sequenc\$3 head-of-line)	US-PGPUB; USPAT	OR	OFF	2005/01/23 19:02
S56	100	(user client) near3 priorit\$3 and priority near6 (fifo first-in sequenc\$3 head-of-line) and "370"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/01/23 19:02
S57	1	"5870605".pn. and priorit\$3	US-PGPUB; USPAT	OR	OFF	2005/01/23 19:12
S58	10	(suspend\$3 paus\$3) near8 reconfigur\$5 and "370"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/01/23 19:45
S59	49	(suspend\$3 paus\$3 stop\$3) with reconfigur\$5 and "370"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/01/23 19:51
S60	39	S59 not S58	US-PGPUB; USPAT	OR	OFF	2005/01/23 19:46
S62	13	S60 and (@ad<="19990330" @rlad<="19990330")	US-PGPUB; USPAT	OR	OFF	2005/01/23 19:47
S63	80	(suspend\$3 paus\$3 stop\$3) same reconfigur\$5 and "370"/\$.ccls. and (@ad<="19990330" @rlad<="19990330")	US-PGPUB; USPAT	OR	OFF	2005/01/23 23:33
S64	9	(quiet\$3 quiesc\$4) same reconfigur\$5 and "370"/\$.ccls. and (@ad<="19990330" @rlad<="19990330")	US-PGPUB; USPAT	OR	OFF	2005/01/24 04:46

S65	1	"20030091049"	US-PGPUB; USPAT	OR	OFF	2005/01/24 04:47
-----	---	---------------	--------------------	----	-----	------------------